

## References

- Aghib F.S., Claps M. & Sarti M., in press. Preliminary report on the Main Carbonate Diagenetic Features of the Oligocene Strata from CRP-2/2A, Victoria Land Basin, Antarctica. *Terra Antarctica*.
- Allibone A.H., 1992. Low pressure/high temperature metamorphism of Koettlitz Group schists in the Taylor Valley and Ferrar Glacier regions. *New Zealand Journal of Geology and Geophysics*, **35**, 115-127.
- Allibone A.H., Cox S.C., Graham I.J., Smillie R.W., Johnstone R.D., Ellery S.G. & Palmer K., 1993a. Granitoids of the Dry Valleys area, southern Victoria Land, Antarctica: field relationships, and isotopic dating. *New Zealand Journal of Geology and Geophysics*, **36**, 281-291.
- Allibone A.H., Cox S.C. & Smillie R.W., 1993b. Granitoids of the Dry Valleys area, southern Victoria Land: geochemistry and evolution along the early Paleozoic Antarctic Craton margin. *New Zealand Journal of Geology and Geophysics*, **36**, 299-316.
- Anson G.L. & Kodama K.P., 1987. Compaction-induced shallowing of the post-depositional remanent magnetization in a synthetic sediment. *Geophysical Journal of the Royal Astronomical Society*, **88**, 673-692.
- Arason P. & Levi S., 1990. Compaction and inclination shallowing in deep sea sediments from the Pacific Ocean. *Journal of Geophysical Research*, **95**, 4501-4510.
- Archangelsky S., 1969. Estudio del paleomicroplancton de la Formación Río Turbio (Eoceno), Provincia de Santa Cruz. *Ameghiniana*, **6**, 181-218.
- Armenti P., Pompilio M. & Rocchi S., 1994. Cenozoic magmatism between Campbell and Icebreaker Glaciers, northern Victoria Land, Antarctica. *Field data reports, Italian Antarctic Research Programme, Earth Sciences, IX ItaliAntartide Expedition*, 39-41.
- Askin R.A., 1998. Palynological investigations of Mount Feather Sirius Group samples: recycled Triassic assemblages. In: Wilson G.S. & Barron J. (eds.), *Mount Feather Sirius Group Core Workshop and Collaborative Sample Analysis*, Byrd Polar Research Center Report, **14**, 59-65.
- Askin R.A., in press. Spores and pollen from the McMurdo Sound erratics, Antarctica. In: Stilwell J.D. & Feldmann R.M. (eds.), *Paleobiology and Paleoenvironments of Eocene Fossiliferous Erratics, McMurdo Sound, East Antarctica*, Antarctic Research Series, American Geophysical Union.
- Askin R.A. & Raine J.I., in press. Oligocene and Miocene Terrestrial Palynology of CRP-2/2A, Victoria Land Basin, Antarctica. *Terra Antarctica*.
- Baker J.C. & Fielding C.R., 1998. Diagenesis of Glacimarine Miocene Strata in CRP-1, Antarctica. *Terra Antarctica*, **5**(3), 647-653.
- Baldauf J.G. & Barron J.A., 1991. Diatom biostratigraphy: Kerguelen Plateau and Prydz Bay regions of the Southern Ocean. In: Barron J.A., Larsen B. et al. (eds.), *Proceedings of the Ocean Drilling Program, Scientific Results*, College Station, TX (Ocean Drilling Program), **119**, 547-598.
- Balech E., 1975. *Clave ilustrada de dinoflagelados Antárticos*. Publicación del Instituto Antártico Argentino No. **11**, Buenos Aires, 99 p.
- Barrett P.J., 1965. Geology of the area between the Axel Heiberg and Shackleton Glaciers, Queen Maud Range, Antarctica – Part 2, Beacon Group. *N.Z. Journal of Geology & Geophysics*, **3**, 344-370.
- Barrett P.J. (ed.), 1989. Antarctic Cenozoic history from CIROS-1 drill hole, McMurdo Sound. *DSIR Bulletin*, **245**, Science Information Publishing Centre, Wellington, 254 p.
- Barrett P.J. & Webb P.N., 1973. Stratigraphic sections of the Beacon Supergroup (Devonian and older (?) to Jurassic) in south Victoria Land. Victoria University of Wellington, *Antarctic Data Series*, **3**, 165 p.
- Barron J.A. & Mahood A.D., 1993. Exceptionally well-preserved early Oligocene diatoms from glacial sediments of Prydz Bay, East Antarctica. *Micropaleontology*, **39**(1), 29-45.
- Barrett P.J., McKelvey B.C. & Walker B.C., 1986. Sand provenance. *DSIR Bulletin*, **237**, 137-144.
- Barrett P.J., Henrys S.A., Bartek L.R., Brancolini G., Busetti M., Davey F.J., Hannah M.J. & Pyne A.R., 1995. Geology of the margin of the Victoria Land basin off Cape Roberts, southwest Ross Sea. In: A.K. Cooper, P.F. Barker & G. Brancolini (eds.), *Geology and Seismic Stratigraphy of the Antarctic Margin, Antarctic Research Series*, **68**, AGU, Washington, 183-208.
- Barron J.A., Baldauf J.G., Barrera E., Caulet J.-P., Huber B.T., Keating B.H., Lazarus D., Sakai H., Thierstein H.R. & Wei W., 1991. Biochronologic and magnetostratigraphic synthesis of Leg 119 sediments from the Kerguelen Plateau and Prydz Bay, Antarctica. In: Barron J.A., Larsen B. et al. (eds.), *Proceedings of the Ocean Drilling Program, Scientific Results*, College Station, TX (Ocean Drilling Program), **119**, 813-847.
- Bellanca A., Neri R. & Sprovieri M., in press. Bulk Geochemistry of the Sand Fraction from CRP-2/2A, Victoria Land Basin, Antarctica. *Terra Antarctica*.
- Berger A., 1984. Accuracy and frequency stability of the earth's orbital elements during the Quaternary. In: Berger A.L., Imbrie J., Hays J., Kukla G. & Saltzman B. (eds.), *Milankovitch and Climate, Part 1*, Reidel Publ. Co., Dordrecht, 3-39.
- Berger A. & Loutre M.F., 1994. Astronomical forcing through geological time. In: de Boer P.L. & Smith D.G. (eds.), *Orbital forcing and cyclic sequences*, IAS Special Publication, **19**, 15-24.
- Berggren W.A., Kent D.V., Swisher III C.C. & Aubrey M.P., 1995. A revised Cenozoic geochronology and biostratigraphy. In: Berggren W.A., Kent D.V., Aubrey M.P. & Hardenbol J. (eds.), *Geochronology, Time Scales, and Stratigraphic Correlation*, Society of Economic Paleontologists and Mineralogists, Special Publication, **54**, 129-212.
- Berner R.A., 1984. Sedimentary pyrite formation: An update. *Geochimica et Cosmochimica Acta*, **48**, 605-615.
- Bernhard J.M., 1987. Foraminiferal biotopes in Explorers Cove, McMurdo Sound, Antarctica. *Journal of Foraminiferal Research*, **17**, 286-297.
- Beu A.G. & Dell R.K., 1989. Mollusca. In: Barrett P.J. (ed.), *Antarctic Cenozoic history from the CIROS-1 drillhole, McMurdo Sound*, *DSIR Bulletin*, **245**, 135-141.
- Blackman R.B. & Tukey J.W., 1958. *The measurement of power spectra from the point of view of communication engineering*. Dover Publications, New York, 190 p.
- Blakely R.J., 1974. Geomagnetic reversals and crustal spreading rates during the Miocene. *Journal of Geophysical Research*, **79**, 2979-2985.
- Blakely R.J. & Cox A., 1972. Evidence for short geomagnetic polarity intervals in the early Cenozoic. *Journal of Geophysical Research*, **77**, 7065-7072.
- Blatt H., 1992. *Sedimentary Petrology*. 2<sup>nd</sup> ed., W.H. Freeman (ed.), New York.
- Bohaty S.M. & Harwood D.M., in press. Ebridian and silicoflagellate biostratigraphy from Eocene McMurdo erratics and the Southern Ocean. In: Stilwell J.D. & Feldmann R.M. (eds.), *Paleobiology and Paleoenvironments of Eocene Fossiliferous Erratics, McMurdo Sound, Antarctica*, Antarctic Research Series, American Geophysical Union.
- Bozzo E., Damaske D., Caneva G., Chiappini M., Ferraccioli F., Gambetta M. & Meloni A., 1997. A High Resolution Aeromagnetic Survey over Proposed Drill Sites Off Shore of Cape Roberts in the Southwestern Ross Sea (Antarctica). In: Ricci C.A. (ed.), *The Antarctic Region: Geological Evolution and Processes*, Terra Antarctica Publication, Siena, 1129-1134.
- Brancolini G., Busetti M., Marchetti A., De Santis L., Zonolla C., Cooper A.K., Cochrane G.R., Zayatz I., Belyaev V., Knyazev M., Vinnikovskaya O., Davey F.J. & Hinz K., 1995. Descriptive text for the seismic stratigraphic atlas of the Ross Sea, Antarctica. In: *Geology and Seismic Stratigraphy of the Antarctic Margin, Antarctic Research Series*, **68**, Am. Geophys. Union, Washington, D.C., 209-233.
- Breitzke M., Grobe H., Kuhn G. & Müller P., 1998. Full waveform ultrasonic transmission seismograms: A fast new method for determination of physical and sedimentological parameters of

- marine sediment cores. *Journal Geophysical Research*, **101**(B10), 22,123-22,141.
- Bridle I. M. & Robinson P. A., 1990. Diagenesis. In: Barrett P. J. (ed.), *Antarctic Cenozoic history from the CIROS-1 drillhole McMurdo Sound*. *DSIR Bulletin*, **245**, 201-207.
- Brink J.D. & Jarrard R.D., in press. Petrophysics of Core Plugs from CRP-2, Victoria Land Basin, Antarctica. *Terra Antarctica*.
- Brink J.D., Jarrard R.D., Bücker C. & Wonik T., in press. Sedimentological Interpretation of Well Logs from CRP-2/2A, Victoria Land Basin, Antarctica: Glacial and Sea-Level Significance. *Terra Antarctica*.
- Bucher G. & E.R. Decker, 1976. Down hole temperature measurements in DVDP 15, McMurdo Sound. *Dry Valley Drilling Project Bulletin*, **7**, 111-112.
- Bücker C., Jarrard R.D., Brink J.D. & Wonik T., in press a. Analysis of Downhole Logging Data from CRP-2/2A, Victoria Land Basin, Antarctica: a Multivariate Statistical Approach. *Terra Antarctica*.
- Bücker C., Wonik T. & Jarrard R.D., in press b. Temperature and Salinity Profile in CRP-2/2A, Victoria Land Basin, Antarctica. *Terra Antarctica*.
- Cande S.C. & Kent D.V., 1992a. A new geomagnetic polarity time scale for the late Cretaceous and Cenozoic. *Journal of Geophysical Research*, **97**, 13917-13951.
- Cande S.C. & Kent D.V., 1992b. Ultrahigh resolution marine magnetic anomaly profiles: A record of continuous paleointensity variations? *Journal of Geophysical Research*, **97**, 15075-15083.
- Cande S.C. & Kent D.V., 1995. Revised calibration of the geomagnetic polarity time scale for the Late Cretaceous and Cenozoic. *Journal of Geophysical Research*, **100**, 6093-6095.
- Cande S.C. & LaBrecque J.L., 1974. Behaviour of the Earth's palaeomagnetic field from small scale marine magnetic anomalies. *Nature*, **247**, 26-28.
- Cande S.C., Stock J.M., Mueller D. & Ishihara T., 2000. Cenozoic Motion between East and West Antarctica. *Nature*, **404**, 146-150.
- Cape Roberts Science Team, 1998. Initial Report on CRP-1, Cape Roberts Project, Antarctica. *Terra Antarctica*, **5**(1), 1-187.
- Cape Roberts Science Team, 1998a. Background to CRP-1, Cape Roberts Project, Antarctica. *Terra Antarctica*, **5**, 1-30.
- Cape Roberts Science Team, 1998b. Quaternary Strata in CRP-1, Cape Roberts Project, Antarctica. *Terra Antarctica*, **5**(1), 31-61.
- Cape Roberts Science Team, 1998c. Miocene Strata in CRP-1, Cape Roberts Project, Antarctica. *Terra Antarctica*, **5**(1), 63-124.
- Cape Roberts Science Team, 1998d. Summary Results from CRP-1, Cape Roberts Project, Antarctica. *Terra Antarctica*, **5**(1), 125-138.
- Cape Roberts Science Team, 1999. Studies from the Cape Roberts Project, Ross Sea, Antarctica. Initial Report on CRP-2/2A. *Terra Antarctica*, **6**(1/2), 1-173. With Supplement, 245 p.
- Carlson P.R., Powell R.D. & Phillips A.C., 1992. Submarine sedimentary features on a fjord delta front, Queen Inlet, Glacier Bay, Alaska. *Canadian Journal of Earth Sciences*, **29**, 565-573.
- Carlson P.R., Powell R.D. & Rearic D.M., 1989. Turbidity-current channels in Queen Inlet, Glacier Bay, Alaska. *Canadian Journal of Earth Sciences*, **26**, 807-820.
- Chamley H., 1989. *Clay Sedimentology*. Springer, Berlin, 623 p.
- Chen P.Y., 1977. *Table of key lines in x-ray powder diffraction patterns of minerals in clays and associated rocks*. Indiana Department of Natural Resources, Geological Survey Occasional Paper 21, Bloomington, Indiana.
- Claps M. & Aghib F.S., 1998. Carbonate Diagenesis in Miocene Sediments from CRP-1, Victoria Land Basin, Antarctica. *Terra Antarctica*, **5**(3), 655-660.
- Claps M. & Masetti D., 1994. Milankovitch periodicities recorded in Cretaceous deep-sea sequences from Southern Alps (Northern Italy). In: de Boer P.L. & Smith D.G. (eds.), *Orbital forcing and cyclic sequences*, IAS Special Publication, **19**, 99-107.
- Claps M., Niessen F. & Florindo F., in press. High-Frequency Analysis of Physical Properties from CRP-2/2A, Victoria Land Basin, Antarctica, and Implication for Sedimentation Rate. *Terra Antarctica*.
- Coccioni R. & Galeotti S., 1997. Foraminiferal Biostratigraphy and Paleoecology of the CIROS-1 Core from McMurdo Sound (Ross Sea, Antarctica). *Terra Antarctica*, **4**(2), 103-117.
- Cooper A.K. & Davey F.J. (eds.), 1987. *The Antarctic Continental Margin: Geology & Geophysics of the Western Ross Sea*, *Earth Sci. Ser.* Circum-Pacific Council for Energy & Mineral Resources. Earth Sciences Series, **5B**, Houston, Texas, 253 p.
- Cooper A.K., Davey F.J. & Behrendt J.C., 1987. Seismic stratigraphy and structure of the Victoria Land Basin, western Ross Sea, Antarctica. In: A.K. Cooper & F.J. Davey (eds.), *The Antarctic continental Margin: Geology and Geophysics of the Western Ross Sea*, *Circum-Pacific Council Energy and Mineral Resources, Earth Sci. Ser.*, **5B**, Houston, TX, 93-118.
- Cranwell L.M., 1964. Hystrichospheres as an aid to Antarctic dating with special reference to the recovery of *Cordosphaeridium* in erratics at McMurdo Sound. *Grana Palynologica*, **5**(3), 397-405.
- de Boer P.L. & Smith D.G., 1994. Orbital forcing and cyclic sequences. In: de Boer P.L. & Smith D.G. (eds.), *Orbital forcing and cyclic sequences*, IAS Special Publication, **19**, 1-14.
- Dekkers M.J., 1989. Magnetic properties of natural pyrrhotite. II. High- and low-temperature behaviour of  $J_s$  and TRM as function of grain size. *Physics of the Earth and Planetary Interiors*, **57**, 266-283.
- Dell R.K. & Fleming C.A., 1975. Oligocene-Miocene bivalve Mollusca and other macrofossils from Sites 270 and 272 (Ross Sea), DSDP Leg 28. *Initial Reports of the Deep-Sea Drilling Project*, **28**, 693-703.
- Diggle P.J., 1990. *Time series. A Biostatistical Introduction*. Oxford University Press, London, 257 p.
- Dowdle W.L. & Cobb W.M., 1975. Static formation temperature from well logs – an empirical method. *J. Petroleum Tech.*, **27**, 1326-1330.
- Ehrmann W.U., 1997. Smectite Concentrations and Crystallinities: Indications for Eocene Age of Glaciomarine Sediments in the CIROS-1 Drill Hole, McMurdo Sound, Antarctica. In: Ricci C.A. (ed.), *The Antarctic Region: Geological Evolution and Processes*, Terra Antarctica Publications, Siena, 771-780.
- Ehrmann W.U., 1998a. Implications of late Eocene to early Miocene clay mineral assemblages in McMurdo Sound (Ross Sea, Antarctica) on paleoclimate and ice dynamics. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **139**, 213-231.
- Ehrmann W.U., 1998b. Lower Miocene and Quaternary Clay Mineral Assemblages from CRP-1. *Terra Antarctica*, **5**(3), 613-619.
- Ehrmann W.U. & Mackensen A., 1992. Sedimentological evidence for the formation of an East Antarctic ice sheet in Eocene/Oligocene time. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **93**, 85-112.
- Ehrmann W.U., Melles M., Kuhn G. & Grobe H., 1992. Significance of clay mineral assemblages in the Antarctic Ocean. *Marine Geology*, **107**, 249-273.
- Elliot D.H., Fleming T.H., Haban M.A. & Siders M.A., 1995. Petrology and Mineralogy of the Kirkpatrick basalt and Ferrar Dolerite, Mesa Range region, North Victoria Land, Antarctica. *Contribution to Antarctic Research IV*, Antarctic Research Series, **67**, 103-141.
- Elliot D.H., Haban M.A. & Siders M.A., 1986. The Exposure Hill formations, Mesa Range. In: Stump E. (ed.), *Geological Investigations in Northern Victoria Land, Antarctic Research Series*, **46**, 267-278.
- Erickson S.N. & Jarrard R.D., 1998. Porosity/formation-factor relationships for high-porosity siliciclastic sediments from Amazon Fan. *Geophysical Research Letters*, **25**, 2309-2312.
- Fenner J., 1984. Eocene-Oligocene planktic diatom stratigraphy in the low latitudes and the high southern latitudes. *Micropaleontology*, **30**(4), 319-342.
- Fielding C.F., Naish T.R., Woolfe K.J. & Lavelle M., in press. Facies Analysis and Sequence Stratigraphy from CRP-2/2A, Victoria Land Basin, Antarctica. *Terra Antarctica*.
- Fielding C.R., Woolfe K.J., Howe J.A. & Lavelle M., 1998. Sequence Stratigraphic Analysis of CRP-1, Cape Roberts Project, McMurdo Sound, Antarctica. *Terra Antarctica*, **5**(3), 353-361.
- Filkorn H.F., 1994. Fossil Scleractinian corals from James Ross Basin, Antarctica. *AGU, Antarctic Research Series*, **65**, 96 p.
- Findlay R.H., Skinner D.N.B. & Craw D., 1984. Lithostratigraphy and structure of the Koettlitz Group, McMurdo Sound, Antarctica. *New Zealand Journal of Geology and Geophysics*, **27**, 513-536.
- Fischer A.G., 1986. Climatic rhythms recorded in strata. *Ann. Rev.*

- Earth and Planetary Sciences*, **14**, 351-376.
- Fischer A.G. & Bottjer D.J., 1991. Orbital forcing and sedimentary sequences. *Journal of Sedimentary Petrology*, **61**, 1063-1069.
- Fischer A.G., de Boer P.L. & Premoli Silva I., 1990. Cyclostratigraphy. In: Ginsburg R.N. & Beaudoin B. (eds.), *Cretaceous Resources, Events and Rhythms - Background and Plans for Research*, Kluwer Academic Publ., Dordrecht, 139-172.
- Fischer A.G., Herbert T.D., Napoleone G., Premoli Silva I. & Ripepe M., 1991. Albian Pelagic Rhythms (Piobbico Core). *Journal of Sedimentary Petrology*, **61**, 1164-1172.
- Fitzgerald P.G., 1992. The Transantarctic Mountains of southern Victoria Land: The application of apatite-fission track analysis to a rift shoulder uplift. *Tectonics*, **11**, 634-662.
- Floyd P.A. & Winchester J.A., 1978. Identification and discrimination of altered and metamorphosed volcanic rocks using immobile elements. *Chem. Geol.*, **21**, 291-306
- Foscolos A.E., 1990. Catagenesis of argillaceous sedimentary rocks. In: McIlreath I.A. & Morrow D.W. (eds.), *Diagenesis*, Runge Press, Ltd., Ottawa, Ontario, 177-187.
- Galeotti S., Cita M.B. & Coccioni R., in press. Correlation of Foraminifera from CRP2/2A, Victoria Land Basin, Antarctica, with European Epochs. *Terra Antartica*.
- Gazdzicki A. & Stolarski J., 1992. An Oligocene record of the coral *Flabellum* from Antarctica. *Polish Polar Research*, **13**(3-4), 265-272.
- George A., 1989. Sand provenance. *DSIR Bulletin*, **245**, 145-167.
- Gladenkov A.Y., 1998. Oligocene and lower Miocene diatom zonation in the North Pacific. *Stratigraphy and Geological Correlation (Stratigrafiya, Geologicheskaya Korrelyatsiya)*, **6**(2), 150-164.
- Gladenkov A.Y. & Barron J.A., 1995. Oligocene and early middle Miocene diatom biostratigraphy of Hole 884B. In: Rea D.K., Basov I.A., Scholl D.W. & Allan J.F. (eds.), *Proceedings of the Ocean Drilling Program, Scientific Results*, College Station, TX (Ocean Drilling Program), **145**, 21-41.
- Gombos A.M. Jr., 1977. Paleogene and Neogene diatoms from the Falkland Plateau and Malvinas Outer Basin. In: Barker P.F., Dalziel I.W.D. et al. (eds.), *Initial Reports of the Deep Sea Drilling Project*, Washington, U.S. Government Printing Office, **36**, 575-687.
- Gombos A.M. Jr. & Ciesielski P.F., 1983. Late Eocene to early Miocene diatoms from the southwest Atlantic. In: Ludwig W.J., Krasheninnikov V.A. et al. (eds.), *Initial Reports of the Deep Sea Drilling Project*, Washington (U.S. Government Printing Office), **71**, 583-634.
- Goodman D.K. & Ford Jr. L.N., 1983. Preliminary dinoflagellate biostratigraphy for the middle Eocene to lower Oligocene from the southwest Atlantic Ocean. *Initial Reports of the Deep Sea Drilling Project*, Government Printing Office, Washington, D.C., **71**, 859-877.
- Griffin J.J., Windom H. & Goldberg E.D., 1968. The distribution of clay minerals in the World Ocean. *Deep-Sea Res.*, **15**, 433-459.
- Griggs P., 1981. Tertiary dinoflagellate morphologies, Santos Basin, Brazil. "Hexrose" Conference on Modern and fossil dinoflagellates. Tubingen, West Germany, August 31-September 4, 1981. Poster session handout, unpaginated.
- Grindley G.W. & Warren G., 1964. Stratigraphic nomenclature and correlation in the western part of the Ross Sea. In: Adie R.J. (ed.), *Antarctic geology*, Amsterdam, North Holland Publishing Co., 314-333.
- Grunow A.M., 1999. Gondwana events and palaeogeography: A palaeomagnetic review. *Journal of African Earth Science*, **28**, 53-69.
- Gunn B.M. & Warren G., 1962. Geology of Victoria Land between the Mawson and Mulock Glaciers, Antarctica. *New Zealand Geological Survey Bulletin*, **71**, 157p.
- Hajós M., 1976. Upper Eocene and lower Oligocene diatomaceae, archaeomonadaceae, and silicoflagellatae in southwestern Pacific sediments, DSDP Leg 29. In: Hollister C.D., Craddock C. et al. (eds.), *Initial Reports of the Deep Sea Drilling Project*, Washington, U.S. Government Printing Office, **35**, 817-884.
- Hall S.A., 1977. Cretaceous and Tertiary dinoflagellates from Seymour Island, Antarctica. *Nature*, **267**, 239-241.
- Hambrey M.J., Barrett P.J. & Robinson P.H., 1989. Stratigraphy. In: Barrett P.J. (ed.), *Antarctic Cenozoic history from the CIROS-1* drillhole, McMurdo Sound. *DSIR Bulletin*, **245**, 23-48.
- Hamilton E.L., 1971. Elastic properties of marine sediments. *Journal of Geophysical Research*, **76**, 579-604.
- Hamilton E.L., 1976. Variations of density and porosity with depth in deep-sea sediments. *Journal of Sedimentary Petrology*, **46**, 280-300.
- Hamilton R.J., Sorlien C.C., Luyendyk B.P., Bartek L.R. & Henrys S.A., 1998. Tectonic Regimes and Structural Trends off Cape Roberts, Antarctica. *Terra Antartica*, **5**(3), 261-272.
- Hannah M.J., 1997. Climate Controlled Dinoflagellate Distribution in Late Eocene-Earliest Oligocene Strata from CIROS-1 Drillhole, McMurdo Sound, Antarctica. *Terra Antartica*, **4**(2), 73-78.
- Hannah M.J., Wrenn J.H. & Wilson G.J., 1998. Early Miocene and Quaternary Marine Palynomorphs from Cape Roberts Project CRP-1, McMurdo Sound, Antarctica. *Terra Antartica*, **5**(3), 527-538.
- Hannah M.J., Cita M.B., Coccioni R. & Monechi S., 1997. The Eocene/Oligocene Boundary at 70° South, McMurdo Sound, Antarctica. *Terra Antartica*, **4**(2), 79-87.
- Harland R., 1983. Distribution maps of Recent dinoflagellate cysts in bottom sediments from the North Atlantic Ocean and adjacent seas. *Paleontology*, **26**, 321-387.
- Harland R., Pudsey C.J., Howe J.A. & Fitzpatrick M.E.J., 1998. Recent dinoflagellate cysts in a transect from the Falkland Trough to the Weddell Sea, Antarctica. *Paleontology*, **41**(6), 1093-1131.
- Harms J.C., Southard J.B., Spearing D.R. & Walker R.G., 1975. Depositional environments as interpreted from primary sedimentary structures and stratification sequences. *Society of Economic Paleontologists and Mineralogists, Short Course 2*, 161 p.
- Harris F.J., 1978. On the use of windows for harmonic analysis with the discrete Fourier transform. *Proceedings of the IEEE*, **66**, 51-83.
- Hartl P., Tauxe L. & Constable C.G., 1993. Early Oligocene geomagnetic field behaviour from Deep Sea Drilling Project Site 522. *Journal of Geophysical Research*, **98**, 19649-19665.
- Harwood D.M., 1986. Diatoms. In: Barrett P.J. (ed.), *Antarctic Cenozoic History from the MSSTS-1 Drillhole, McMurdo Sound, DSIR Bulletin*, **237**, 69-107.
- Harwood D.M., 1989. Siliceous microfossils. In: Barrett P.J. (ed.), *Antarctic Cenozoic History from the CIROS-1 Drillhole, McMurdo Sound, DSIR Bulletin*, **245**, 67-97.
- Harwood D.M. & Bohaty S.M., in press. Marine diatom assemblages from Eocene and younger erratics, McMurdo Sound, Antarctica. In: Stilwell J.D. & Feldmann R.M. (eds.), *Paleobiology and Paleoenvironments of Eocene Fossiliferous Erratics, McMurdo Sound, Antarctica*, Antarctic Research Series, American Geophysical Union.
- Harwood D.M. & Maruyama T., 1992. Middle Eocene to Pleistocene diatom biostratigraphy of Southern Ocean sediments from the Kerguelen Plateau, Leg 120. In: Wise S.W. Jr., Schlich R. et al. (eds.), *Proceedings of the Ocean Drilling Program, Scientific Results*, College Station, TX, Ocean Drilling Program, **120**(2), 683-733.
- Harwood D.M., Bohaty S.M. & Scherer R.P., 1998. Lower Miocene Diatom Biostratigraphy of the CRP-1 Drillcore, McMurdo Sound, Antarctica. *Terra Antartica*, **5**(3), 499-514.
- Harwood D.M., Barrett P.J., Edwards A.R., Rieck H.J. & Webb P.-N., 1989a. Biostratigraphy and chronology. In: Barrett P.J. (ed.), *Antarctic Cenozoic History from the CIROS-1 Drillhole, McMurdo Sound, DSIR Bulletin*, **245**, 231-239.
- Harwood D.M., Scherer R.P. & Webb P.-N., 1989b. Multiple Miocene productivity events in West Antarctica as recorded in upper Miocene sediments beneath the Ross Ice Shelf (Site J-9). *Marine Micropaleontology*, **15**, 91-115.
- Harwood D.M., Lazarus D., Abelman A., Aubry M.P., Berggren W.A., Heider F., Inokuchi H., Maruyama T., McCartney K., Wei W. & Wise S.W. Jr., 1992. Neogene integrated magneto-biostratigraphy of the Southern Kerguelen Plateau, ODP Leg 120. *Proceedings of the Ocean Drilling Program, Scientific Results*, **120**, College Station, TX, 1031-1052.
- Hayes J.B., 1979. Sandstone diagenesis — the hole truth. In: Scholle P.A. & Schluger P.R. (eds.), *Aspects of Diagenesis, SEPM Special Publication*, **26**, 127-139.
- Hedberg H.D., 1936. Gravitational compaction of clays and shales.

- American Journal of Science, Series 5*, **31**, 241-287.
- Henry S.A., Bartek L.R., Brancolini G., Luyendyk B., Hamilton R.J., Sorlien C.C. & Davey F.J., 1998. Seismic Stratigraphy of the Pre-Quaternary Strata off Cape Roberts, and their Correlation with Strata Cored in the CIROS-1 Drill Hole, McMurdo Sound. *Terra Antarctica*, **5**(3), 273-279.
- Hinnov L.A. & Goldhammer R.K., 1991. Spectral analysis of the Middle Triassic Latemar Limestone. *Journal of Sedimentary Petrology*, **61**, 1173-1193.
- Hornig I., 1993. High -Ti and Low-Ti Tholeites in Jurassic Ferrar Group, Antarctica. *Geologisches Jahrbuch*, **E47**, 335-369
- House M.R., 1995. Orbital forcing timescales. In: House M.R. & Gale A.S. (eds.), *Orbital Forcing Timescales and Cyclostratigraphy*, The Geological Society of London, London, 1-18.
- Hrouda F., 1994. A technique for the measurement of thermal changes of magnetic susceptibility of weakly magnetic rocks by the CS-2 apparatus and KLY-2 Kappabridge. *Geophysical Journal International*, **118**, 604-612.
- Hunt C.P., Moskowitz B.M. & Banerjee S.K. 1995. Magnetic properties of rocks and minerals. *Rock Physics and Phase Relations, AGU Reference Shelf*, **3**, 189-204.
- Hutcheon I., 1990. Aspects of the diagenesis of coarse-grained siliciclastic rocks. In: McIlreath I.A. & Morrow D.W. (eds.), *Diagenesis*, Runge Press, Ltd., Ottawa, Ontario, 165-176.
- Jacobs J.A., 1994. *Reversals of the Earth's Magnetic Field*. 2nd ed., Cambridge University Press, 346 p.
- Jarrard R.D., Brink J.D., Bückler C., Wonik T., Wilson T. & Paulsen T., in press. Bedding Dips from CRP-2A, Victoria Land Basin, Antarctica. *Terra Antarctica*.
- Jonkers H.A. & Taviani M., 1998. Lower Miocene Macrofossils from CRP-1 Drillhole, Cape Roberts (Victoria Land Basin, Antarctica). *Terra Antarctica*, **5**(3), 493-498.
- Kemp E.M., 1975. Palynology of Leg 28 Drill Sites, Deep Sea Drilling Project. *Initial Reports of The Deep Sea Drilling Project*, Government Printing Office, Washington, D.C., **28**, 599-623.
- Kemp E.M. & Harris W.K., 1977. The palynology of early Tertiary sediments, Ninetyeast Ridge, Indian Ocean. *Special papers in palaeontology*, **19**, 70 p.
- Kirschvink J.L., 1980. The least-squares line and plane and the analysis of palaeomagnetic data. *Geophysical Journal of the Royal Astronomical Society*, **62**, 699-718.
- Kretz R., 1983. Symbols for rock forming minerals. *American Mineralogist*, **68**, 277-279.
- Krissek L. & Kyle P.R., in press. Geochemical Indicators of Weathering Cenozoic Palaeoclimate and Provenance from Fine-Grained Sediments in CRP-2/2A, Victoria Land Basin, Antarctica. *Terra Antarctica*.
- Krumbein W.C., 1941. Measurement and geological significance of shape and roundness of sedimentary particles. *Journal of Sedimentary Petrology*, **11**, 64-72.
- Kyle R.A., 1976. Palaeobotanical studies of the Permian and Triassic Victoria Group (Beacon Supergroup) of south Victoria Land, Antarctica. *Unpublished Ph.D dissertation*, Victoria University of Wellington, New Zealand, 306 p.
- Kyle R.A., 1977. Palynostratigraphy of the Victoria Group of South Victoria Land, Antarctica. *New Zealand Journal of Geology and Geophysics*, **20**, 1081-1102.
- Kyle P.R., 1999. Ferrar Dolerite Clasts from CRP-1 Drillcore. *Terra Antarctica*, **5**(3), 611-612.
- Kyle R.A. & Schopf J.M., 1982. Permian and Triassic palynostratigraphy of the Victoria Group, Transantarctic Mountains. In: Craddock J.C. (ed.), *Antarctic Geoscience*, University of Wisconsin Press, Madison, p. 649-659.
- Lamothe M., Hillaire-Marcel C. & Page P., 1983. Decouverte de concretions calcaires dans le till de Gentilly, basses-terres du Saint-Laurent, Quebec. *Canadian Journal of Earth Sciences*, **20**, 500-505.
- Lanci L. & Lowrie W., 1997. Magnetostratigraphic evidence that 'tiny wiggles' in the oceanic magnetic anomaly record represent geomagnetic paleointensity variations. *Earth and Planetary Science Letters*, **148**, 581-592.
- Leckie M.A. & Webb P.N., 1985. Late Paleogene and early Neogene foraminifers of Deep Sea Drilling Project Site 270, Ross Sea, Antarctica. In: Kennett J.P., Von der Broch C.C. et al. (eds.), *Initial Reports of the Deep Sea Drilling Project* XC, 1093-1142.
- Levy R.H. & Harwood D.M., in press. Marine palynomorph biostratigraphy and age(s) of the McMurdo Sound erratics. In: Stillwell J.D. & Feldmann R.M. (eds.), *Paleobiology and paleoenvironments of Eocene fossiliferous erratics, McMurdo Sound, East Antarctica, AGU Antarctic Research Series*.
- Li Y. & Schmitt D.R., 1997. Well-bore bottom stress concentration and induced core fractures. *American Association of Petroleum Geologists Bulletin*, **81**, 1909-1925.
- Li Y. & Scmitt D.R., 1998. Drilling-induced core fractures and in situ stress. *Journal of Geophysical Research*, **103**, 5225-5239.
- Lorenz J.C., Finley S.J. & Warpinski N.R., 1990. Significance of coring-induced fractures in Mesaverde core, northwestern Colorado. *American Association of Petroleum Geologists Bulletin*, **74**, 1017-1029.
- Lowrie W. & Lanci L., 1994. Magnetostratigraphy of Eocene-Oligocene boundary sections in Umbria, Italy: No evidence for short subchrons within chron 13r. *Earth and Planetary Science Letters*, **126**, 247-258.
- Magara K., 1980. Comparison of porosity-depth relationships of shale and sandstone. *Journal of Petroleum Geology*, **3**, 175-185.
- Mahood A.D., Barron J.A. & Sims P.A., 1993. A study of some unusual, well-preserved Oligocene diatoms from Antarctica. *Nova Hedwigia, Beiheft*, **106**, 243-267.
- Marret F. & De Vernal A., 1997. Dinoflagellate cyst distribution in surface sediments of the southern Indian Ocean. *Marine Micropaleontology*, **29**, 367-392.
- McCullum D.W., 1975. Diatom stratigraphy of the Southern Ocean. In: Hayes D.E., Frakes L.A. et al. (eds.), *Initial Reports of the Deep Sea Drilling Project*, Washington, U.S. Govt. Printing Office, **28**, 515-571.
- McIntosh W.C., in press. <sup>40</sup>Ar/<sup>39</sup>Ar Geochronology of Volcanic Tephra and Clasts in CRP-2A, Victoria Land Basin, Antarctica. *Terra Antarctica* (in press).
- McIntyre D.J. & Wilson G.J., 1966. Preliminary palynology of some Antarctic Tertiary erratics. *New Zealand Journal of Botany*, **4**, 315-321.
- Mildenhall D.C., 1989. Terrestrial palynology. In: Barrett P.J. (ed.), *Antarctic Cenozoic history from the CIROS-1 drillhole, McMurdo Sound, DSIR Bulletin*, **245**, 119-127.
- Moos D., Jarrard R.D., Paulsen T., Scholz E. & Wilson T., in press. Acoustic Borehole Televue Results from CRP-2A, Victoria Land Basin, Antarctica. *Terra Antarctica*.
- Morgans H.E.G., Scott G.H., Beu A.G., Graham I.J., Mumme T.C., St George W. & Strong C.P., 1996. New Zealand Cenozoic time scale (1996). *Institute of Geological and Nuclear Sciences, Science Report*, **96/38**.
- Naish T.R. & Kamp P.J.J., 1997. Sequence Stratigraphy of 6th order (41 k.y.) Pliocene-Pleistocene Cyclothem, Wanganui Basin, New Zealand: A Case for the Regressive Systems Tract. *Geological Society of America Bulletin*, **109**, 979-999.
- Naish T.R., Browne G.H., Carter R.M., Kamp P.J.J. & Wehland F., in press a. Forced Regressions During a Period of Glacio-eustatic Sea-level Cyclicity: Systematics and Definition of the Regressive Systems Tract. *Bulletin of the Geological Society of America*.
- Naish T.R., Woolfe K.J., Dunn A.G., Claps M., Stewart L. & Fielding C.F., in press b. The Periods of Depositional Cyclicity in CRP2/2A, Victoria Land Basin, Antarctica: Frequency Analysis of Grain Size Data and some Palaeoclimatic Implications. *Terra Antarctica*.
- Niessen F. & Jarrard R.D., 1998. Velocity and Porosity of Sediments from CRP-1 Drillhole, Core, Ross Sea, Antarctica. *Terra Antarctica*, **5**(3), 311-318.
- Niessen F., Jarrard R.D. & Bückler C., 1998. Log-Based Physical Properties of the CRP-1 Core, Ross Sea, Antarctica. *Terra Antarctica*, **5**(3), 299-310.
- Niessen F., Kopsch K. & Polozek K., in press. Velocity and Porosity from CRP-2/2A, Victoria Land Basin, Antarctica. *Terra Antarctica*.
- Paillard D., Labeyrie L. & Yiou P., 1996. Macintosh program performs time-series analysis. *Eos Trans. AGU*, **77**, 379 p.
- Paulsen T., Wilson T.J., Moos D., Jarrard R.D. & Wilson G.S., in press. Orientation of CRP-2A Core, Victoria Land Basin. *Terra*

- Antartica*.
- Pestiaux P. & Berger A., 1984. An optimal approach to the spectral characteristics of deep-sea climatic records. In: Berger A.L., Imbrie J., Hays J., Kukla G. & Saltzman B. (eds.), *Milankovitch and Climate, Part 1*, Reidel Publ. Co., Dordrecht, 417-445.
- Plint A.G., 1988. Sharp-Based Shoreface Sequences and "Offshore Bars" in the Cardium Formation of Alberta: Their Relationship to Relative Changes in Sea-level. In: Wilgus C.K. et al. (eds), *Sea-level changes: an integrated approach*, Society of Economic Paleontologists and Mineralogists, **42**, 357-370.
- Pocknall D.T., 1989. Late Eocene to Early Miocene vegetation and climate history of New Zealand. *Journal of the Royal Society of New Zealand*, **19**(1), 1-18.
- Pocknall D.T. & Mildenhall D.C., 1984. Late Oligocene-early Miocene spores and pollen from Southland, New Zealand. *New Zealand Geological Survey Paleontological Bulletin*, **51**, 66 p.
- Posamentier H.W., Jervey M.T. & Vail P.R., 1988. Eustatic Controls on Clastic Deposition 1 - Conceptual Framework. In: Wilgus C.K. et al. (eds), *Sea-level changes: an integrated approach*, Society of Economic Paleontologists and Mineralogists, **42**, 109-124.
- Powell R.D., 1990. Grounding-line fans and their growth to ice-contact deltas. In: Dowdswell J.D. & Scourge J.D. (eds.), *Glacimarine environments: processes and sediments*, Geological Society of London Special Publication No. **53**, 53-73.
- Powell R.D., Hambrey M.J. & Krissek L.A., 1998. Quaternary and Miocene Glacial and Climatic History of the Cape Roberts Drillsite Region, Antarctica. *Terra Antartica*, **5**(3), 341-352.
- Powell R.D., Krissek L.A. & van der Meer J.J.M., in press. Preliminary Depositional Environmental Analysis of CRP-2/2A, Victoria Land Basin, Antarctica: Palaeoglaciological and Palaeoclimatic Inferences. *Terra Antartica*.
- Powers M.C., 1953. A new roundness scale for sedimentary particles. *Journal of Sedimentary Petrology*, **23**, 117-119.
- Press W.H., Flannery B.P., Teukolsky S.A. & Vetterling W.T., 1989. *Numerical recipes in Pascal: the art of scientific computing*. Cambridge University Press, Cambridge, 759 p.
- Pyne A.R., 1986. Sea-ice operations: McMurdo Sound-Granite Harbour. *NZ Antarctic Record*, **7**, 5-13.
- Pyne A.R., 1999. Ross Fast Ice History, *Victoria University of Wellington FTP site*.
- Raine J.I., 1984. Outline of a palynological zonation of Cretaceous to Palaeogene terrestrial sediments in West Coast Region, South Island, New Zealand. *New Zealand Geological Survey Report NZGS*, **109**, 82 p.
- Raine J.I., 1998. Terrestrial palynomorphs from Cape Roberts Project drillhole CRP-1, Ross Sea, Antarctica. *Terra Antartica*, **5**(3), 539-548.
- Ramsay A.T.S. & Baldauf J.G., 1999. *A Reassessment of the Southern Ocean Biochronology*. Geological Society, London, Memoir **18**, 122 p.
- Reijmer J.J.G., Sprenger A., Ten Kate W.G.H.Z., Schlager W. & Krystyn L., 1994. Periodicities in the composition of Late Triassic calciturbidites (Eastern Alps, Austria). In: de Boer P.L. & Smith D.G. (eds.), *Orbital forcing and cyclic sequences*, IAS Special Publication, **19**, 323-343.
- Roberts A.P., 1995. Magnetic properties of sedimentary greigite (Fe<sub>3</sub>S<sub>4</sub>). *Earth and Planetary Science Letters*, **134**, 227-236.
- Roberts A.P. & Turner G.M., 1993. Diagenetic formation of ferrimagnetic iron sulphide minerals in rapidly deposited marine sediments, New Zealand. *Earth and Planetary Science Letters*, **115**, 257-273.
- Roberts A.P., Wilson G.S., Florindo F., Sagnotti L., Verosub K.L. & Harwood D.M., 1998. Magnetostratigraphy of Lower Miocene Strata from the CRP-1 Core, McMurdo Sound, Ross Sea, Antarctica. *Terra Antartica*, **5**(3), 703-713.
- Roland N.W. & Worner G., 1996. Kirkpatrick flows and associated pyroclastics: new occurrences, definition, and aspect of a Jurassic Transantarctic rift. *Geologisches Jahrbuch*, **B89**, 97-121.
- Sagnotti L., Florindo F., Verosub K.L., Wilson G.S. & Roberts A.P., 1998a. Environmental magnetic record of Antarctic palaeoclimate from Eocene-Oligocene glaciomarine sediments, Victoria Land Margin. *Geophysical Journal International*, **134**, 653-662.
- Sagnotti L., Florindo F., Wilson G.S., Roberts A.P. & Verosub K.L., 1998b. Environmental Magnetism of Lower Miocene Strata from the CRP-1 Core, McMurdo Sound, Antarctica. *Terra Antartica*, **5**(3), 661-667.
- Savage M.L. & Ciesielski P.F., 1983. A revised history of glacial sedimentation in the Ross Sea region. In: Oliver R.L., James P.R. & Jago J.B. (eds.), *Antarctic Earth Science*, Australian Academy of Science, Canberra, 555-559.
- Scherer R.P. & Koç N., 1996. Late Paleogene diatom biostratigraphy and paleoenvironments of the northern Norwegian-Greenland Sea. In: Thiede J., Myhre A.M., Firth J.V., Johnson G.L. & Ruddiman W.F. (eds.), *Proceedings of the Ocean Drilling Program, Scientific Results*, College Station, TX, Ocean Drilling Program, **151**, 75-99.
- Scherer R.P., Bohaty S.M. & Harwood D.M., in press. Oligocene and Lower Miocene Siliceous Microfossil Biostratigraphy of CRP-2/2A, Victoria Land Basin, Antarctica. *Terra Antartica*.
- Schrader H.-J., 1976. Cenozoic planktonic diatom biostratigraphy of the Southern Pacific Ocean. In: Hollister C.D., Craddock C. et al. (eds.), *Initial Reports of the Deep Sea Drilling Project*, Washington, U.S. Govt. Printing Office, **35**, 605-672.
- Schrader H.-J. & Fenner J., 1976. Norwegian Sea Cenozoic diatom biostratigraphy and taxonomy. In: Talwani M., Udintsev G. et al. (eds.), *Initial Reports of the Deep Sea Drilling Project*, Washington, U.S. Government Printing Office, **38**, 921-1099.
- Shumway G., 1960a. Sound speed and absorption studies of marine sediments by a resonance method, Part 1. *Geophysics*, **25**, 451-467.
- Shumway G., 1960b. Sound speed and absorption studies of marine sediments by a resonance method, Part 2. *Geophysics*, **25**, 659-682.
- Simes J. & Wrenn J.H., 1998. Palynologic Processing in Antarctica. *Terra Antartica*, **5**(3), 549-552.
- Sissons B.A., 1980. Down hole temperatures. In: Pyne A. & Waghorn D.B. (eds.), *Immediate Report of VUWAE 24 and McMurdo Sound Sediment and Tectonic Studies (MSSTS)*, Victoria Univ., Wellington.
- Smellie J.L., 1998. Sand Grain Detrital Modes in CRP-1: Provenance Variations and Influence of Miocene Eruptions on the Marine Record in the McMurdo Sound Region. *Terra Antartica*, **5**(3), 579-587.
- Smellie J.L., in press. Erosional History from the Transantarctic Mountains Deduced from Sand Grain Detrital Modes from CRP-2/2A, Victoria Land Basin, Antarctica. *Terra Antartica*.
- Steinhauff D.M., Renz M.E., Harwood D.M. & Webb P.N., 1987. Miocene diatom biostratigraphy of DSDP Hole 272: stratigraphic relationship to the underlying Miocene of DSDP Hole 270, Ross Sea, Antarctica. *Antarctic Journal of the U.S.*, **22**(5), 123-125.
- Strong C.P. & Webb P.N., in press. Oligocene and Miocene Foraminifera from CRP-2/2A, Victoria Land Basin, Antarctica. *Terra Antartica*.
- Talarico F. & Sandroni S., 1998. Petrography, Mineral Chemistry and Provenance of Basement Clasts in the CRP-1 Drillcore (Victoria Land Basin, Antarctica). *Terra Antartica*, **5**(3), 601-610.
- Talarico F., Sandroni S., Fielding C. & Atkins C., in press. Variability, Petrography and Provenance of Basement Clasts in Core from CRP-2/2A, Victoria Land Basin, Antarctica. *Terra Antartica*.
- Tasch P. & Lammons J.M., 1978. Palynology of some lacustrine interbeds of the Antarctic Jurassic. *Palinologia*, **1**, 455-462.
- Tauxe L. & Hartl P., 1997. 11 million years of Oligocene geomagnetic field behaviour. *Geophysical Journal International*, **128**, 217-229.
- Taviani M., Beu A. & Lombardo C., 1998. Pleistocene Macrofossils from CRP-1 Drillhole, Victoria Land Basin, Antarctica. *Terra Antartica*, **5**(3), 485-491.
- Taviani M., Beu A.G. & Jonkers H.A., in press. Macrofossils from CRP-2/2A Drillhole, McMurdo Sound (Victoria Land Basin, Antarctica). *Terra Antartica*.
- Taylor J.M., 1950. Pore space reduction in sandstones. *AAPG Bull.*, **23**, 701-717.
- Tonarini S., Rocchi S., Armienti P. & Innocenti F., 1997. Constraints on Timing of Ross Sea Rifting inferred from Cainozoic Intrusions from Northern Victoria Land, Antarctica. In: Ricci C.A. (ed.), *The Antarctic Region: Geological Evolution and Processes*, Terra Antartica Publication, Siena, 511-522.
- Truswell E.M., 1986. Palynology. In: Barrett P.J. (ed.), *Antarctic Cenozoic history from the MSSTS-1 drillhole, McMurdo Sound*,

- DSIR Bulletin*, **237**, 131-134.
- Turnbull I.M., Allibone A.H., Forsyth P.J. & Heron D.W., 1994. Geology of the Bull Pass - St Johns Range area, southern Victoria Land, Antarctica. Scale 1:50000. *Institute of Geological & Nuclear Sciences geological map 14*. 1 sheet + 52 p. Institute of Geological & Nuclear Sciences Ltd, Lower Hutt, New Zealand.
- Vail P., 1987. Seismic Stratigraphy Interpretation Using Sequence Stratigraphy, part 1: Seismic Stratigraphy Interpretation Procedure. In: Bally A.W. (ed.), *Atlas of Seismic Stratigraphy, AAPG*, Tulsa, Oklahoma, **27**, 1-10.
- van Wagoner J.C., Mitchum R.M., Campion K.M. & Rahmanian V.D., 1990. Siliciclastic Sequence Stratigraphy in Well Logs, Cores, and Outcrops. *Concepts for High-Resolution Correlation of Time and Facies, AAPG Methods in Exploration*, **7**, 55 p.
- van Wagoner J.C., Posamentier H.W., Mitchum R.M., Vail P.R., Sarg, J.F., Loutit T.S. & Hardenbol J., 1988. An Overview of Sequence Stratigraphy and Key Definitions. In: Wilgus C.K. et al. (eds), *Sea-Level Changes: An Integrated Approach, Society of Economic Paleontologists and Mineralogists*, Special Publication, **42**, 39-40.
- Verosub K.L., 1977. Depositional and postdepositional processes in the magnetization of sediments. *Reviews of Geophysics and Space Physics*, **15**, 129-143.
- Verosub K.L., Florindo F., Sagnotti L., Roberts A.P. & Wilson G.S., in press. Environmental Magnetism of Oligocene - Miocene Glaciomarine Strata from CRP-2/2A, Victoria Land Basin, Antarctica. *Terra Antarctica*.
- Villa G. & Wise S.W. Jr., 1998. Quaternary Calcareous Nannofossils from the Antarctic Region. *Terra Antarctica*, **5**(3), 479-484.
- Watkins D.K. & Villa G., in press. Palaeogene Calcareous Nannofossils from CRP-2/2A, Victoria Land Basin, Antarctica. *Terra Antarctica*.
- Waxman M.H. & Smits L.J.M., 1968. Electrical conductivities in oil-bearing shaly sands. *Trans. Amer. Inst. Mech. Eng.*, **243**, 107-122.
- Webb P.N., 1989. Benthic foraminifera. In: Barrett P.J. (ed.), Antarctic Cenozoic history from the CIROS-1 drillhole, McMurdo Sound, *DSIR Bulletin*, **245**, 99-118.
- Weber M.E., Niessen F., Kuhn G. & Wiedicke M., 1997. Calibration and application of marine sedimentary physical properties using a multi-sensor core logger. *Marine Geology*, **136**, 151-172.
- Wei W. & Wise S.W. Jr., 1990. Middle Eocene to Pleistocene calcareous nannofossils recovered by Ocean Drilling Program Leg 133 in the Weddell Sea. *Proc. Ocean Drilling Program Sci. Results*, **113**, 639-666.
- Wei W. & Wise S.W. Jr., 1992. Oligocene-Pleistocene calcareous nannofossils from Southern Ocean sites 747, 748, and 751. *Proceedings of the Ocean Drilling Program, Scientific Results*, **120**, College Station, TX, 509-522.
- White P., 1989. Downhole logging. In: Barrett P.J. (ed.), Antarctic Cenozoic history from the CIROS-1 drillhole, *DSIR Bulletin*, **245**, 7-14.
- Williams P.F., Hobbs B.E., Vernon R.H. & Anderson D.E., 1971. The structural and metamorphic geology of basement rocks in the McMurdo Sound area, Antarctica. *Journal of the Geological Society of Australia*, **18**, 127-142.
- Wilson G.J., 1967. Some new species of lower Tertiary dinoflagellates from McMurdo Sound, Antarctica. *New Zealand Journal of Botany*, **5**, 57-83.
- Wilson G.S., Roberts A.P., Verosub K.L., Florindo F. & Sagnotti L., 1998. Magnetobiostratigraphic chronology of the Eocene-Oligocene transition in the CIROS-1 core, Victoria Land Margin, Antarctica: Implications for Antarctic glacial history, *Geological Society of America Bulletin*, **110**, 35-47.
- Wilson G.S., Florindo F., Sagnotti L., Verosub K.L. & Roberts A.P., in press a. Magnetostratigraphy of Oligocene - Miocene Glaciomarine Strata from CRP-2/2A Core, Victoria Land Basin, Antarctica. *Terra Antarctica*.
- Wilson G.S., Bohaty S.M., Fielding C.R., Florindo F., Hannah M.J., Harwood D.M., McIntosh W.C., Naish T.R., Roberts A.P., Sagnotti L., Scherer R.P., Verosub K.L., Villa G., Watkins D.K. & Woolfe K.J., in press b. Chronostratigraphy of CRP-2/2A, Victoria Land Basin, Antarctica. *Terra Antarctica*.
- Wilson T.J., 1995. Cenozoic transtension along the Transantarctic Mountains-West Antarctica rift boundary, southern Victoria Land, Antarctica. *Tectonics*, **14**, 531-545.
- Wilson T.J. & Paulsen T., in press. Brittle Deformation Patterns of CRP-2A Core, Victoria Land Basin, Antarctica. *Terra Antarctica*.
- Wise S.W. Jr., 1983. Mesozoic and Cenozoic calcareous nannofossils. *Initial Reports of the Deep-Sea Drilling Project*, **71**, 481-550.
- Woolfe K.J., Kirk P.A. & Sherwood A.M., 1989. Geology of the Knobhead area, southern Victoria Land, Antarctica. *New Zealand Geological Survey, DSIR, Miscellaneous map series*, **19**.
- Wrenn J.H., 1981. Preliminary palynology of the RISP Site J-9, Ross Sea, Antarctica. *Antarctic Journal of the United States*, **16**(5), 72-74.
- Wrenn J.H., 1982. Dinocyst biostratigraphy of Seymour Island, Palmer Peninsula, Antarctica. *Unpublished Ph.D. dissertation*, Louisiana State University, Baton Rouge, LA, 467 p.
- Wrenn J.H. & Beckman S.W., 1981. Maceral and total organic carbon analyses of RISP Site J-9 Cores. *Antarctic Journal of the United States*, **16**(5), 69-71.
- Wrenn J.H. & Hart G.F., 1988. Paleogene dinoflagellate cyst biostratigraphy of Seymour Island, Antarctica. In: Feldmann R.M. & Woodburne M.O. (eds.), *Geology and Palaeontology of Seymour Island, Antarctic Peninsula*, Geological Society of America Memoir, **169**, 321-447.
- Wrenn J.H. & Kokinos J.J., 1986. Preliminary comments on Miocene through Pleistocene dinoflagellate cysts from DeSoto Canyon, Gulf of Mexico. *American Association of Stratigraphic Palynologists, Inc., AASP Contributions Series No.* **17**, 169-225.
- Wrenn J.H., Hannah M.J. & Raine J.I., 1998. Diversity and Palaeoenvironmental Significance of late Cainozoic Marine Palynomorphs from the CRP-1 Core, Ross Sea, Antarctica. *Terra Antarctica*, **5**(3), 553-570.
- Zachos J.C., Quinn T.M. & Salamy K.A., 1996. High-resolution Deep-Sea Foraminiferal Stable Isotope Records of the Eocene-Oligocene Climate Transition. *Paleoceanography*, **11**, 256-266.